MacromaX

gets closer than any other point-and-shoot camera





Focus from infinity all the way down to an **incredible 4 inches!**

ULTRA MACRO FOCUS TO 4"

38 - 115mm Fully Automatic Zoom Camera

The **ONLY** 3X Zoom Point & Shoot Camera with Macro Focus to 4"

SUPERB QUALITY:

- **Lens:** 38 -115mm, F3.9~10.8, 6 elements in 5 groups
- Programmed electronic shutter
- Focusing: Infrared active type with focus lock

UNIQUE FOCUS RANGE:

Ultra Macro (4 inches - 7.9 inches / 10 cm - 20 cm) Super Macro (7.9 inches - 20 inches / 20 cm - 50 cm) Normal (27.6 inches - infinity / 70 cm - infinity)

FULLY FEATURED:

Self Timer • Quartz Date Back Built-in Flash • 7 Flash Modes

Film Speed Range: Automatic setting of ISO 100~3200 Recycling Time: 7 seconds with new battery at normal temperature

MAC-10 Z3000 Kit - Camera, Battery, Case, 2 Straps (neck and wrist with distance measurements), Macro-Frame

AGK3000QD 3X Zoom Camera Kit MAC-10 Z3000 Kit

3X ZOOM SUPER MACRO FOCUS TO 10"

38 - 115mm Fully Automatic Zoom Camera



MAC-10 Z3000

AS SEEN ON

- Programmed electronic shutter •Infrared autofocus with focus lock
- Self-timer 7 Flash modes Clam shell lens cover Carrying Case

AGK1150 AGK1150QD (with Quartz Date Back) AZ

AZS1150AF AZS1150AFQ

ULTRA MACRO FOCUS TO 4"

3-Zone Focus 35mm Fully Automatic Compact Cameras



- Quartz date back Colored led's on top of camera indicate macro ranges
- Unique Macro Frame facilitates quick composition of pictures in the 4"-10" range without using viewfinder. This eliminates parallax on ultra-macro photos
- Carrying case holds both the camera and close-up frame

AGK350 35mm Camera

FR-350QD



APS

This **APS** version has the same features as the AGK350. Offers all the APS benefits: instant loading, 3 picture formats, etc.

AGK2200 35mm APS Camera



FR-2200QD

Dupar Copy Stand

Turns the MacromaX into the easiest copy system- Yields perfectly exposed, reflection-free copies of photos, artwork, needlepoint, and other flat objects. Simple Operation. Automatic exposure. Two built-in slaves. Choose both on for shadow free photos or one on to create shadows. Includes 2 CR2 Lithium Batteries. Can be used with the MacromaX FR-350QD and FR-2200QD.

AGK150 Dupar Copy Stand



2X ZOOM SUPER MACRO FOCUS TO 10"

35 - 70mm Compact Camera• Quartz Date Back • 10" (25cm) strap for measuring closest macro focus distance from camera.

AGK700 2X Zoom Camera



AZS-700AFQD

PERSONAL SERVICE IS OUR #1 PRIORITY



East: 111 Asia Place, Carlstadt, NJ 07072 West: 4055 W. Shaw Ave.#105, Fresno, CA 93722 (201) 939-7722 (559) 277-3572

All Tulling Consumer Cameras and Film now available from Argraph













Argraph distributes all Fuji consumer cameras and films.

Please call for additional information and pricing.

Also refer to your latest promo book for the most current models.

FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR 1-800-526-6290

⑨ FUJIFILM QuickSnap

35mm one-time-use cameras

QuickSnap 400 Flash

AFU01834 QS Flash 400 - 27 exp



QuickSnap 800 Flash

AFU01840 QS Flash - 27 exp



QuickSnap 800 Outdoor (No Flash)

AFU01833 QS Outdoor - 27 exp



QuickSnap 800 Waterproof

Waterproof outer casing protects film from water, dirt, sand and humidity. Comes with handy strap.

AFU01406 Waterproof - 27 exp



QuickSnap 400 Panoramic Flash

Provides prints that are twice as long as standard prints. This lets you capture more of the group, the scene, or the landscape



AFU20141 QS Panoramic Flash - 27 exp

⑨ FUJIFILM

Why should you buy Fuji Film from Argraph?

Volume Pricing on Small Orders

Fast Argraph Shipping - Combine with other **Argraph Products for Prepaid Freight** All U.S. Authorized Products — NO GRAY!

Must be purchased in Pack Quantities:

(Blister = 5, Boxed = 10, Carded = 5)









| | CARDED | BOXED |
|-------|--------|-------|
| Reala | | |

| Reala 100 - 24 | AFU20112 |
|----------------|----------|
| | AFU20113 |

Superia

| Superia 100 - 24 | |
|---|----------------------|
| Superia 200 - 24 AFU11222 Superia 200 - 36 AFU11223 Superia 200 - 3 +1Pk AFU14246 | AFU10222 AFU10223 |
| Superia X-TRA 400 - 12 | AFU10322 |
| Superia X-TRA 800 - 24 | |
| Super HG 1600 - 12 | AFU10372 |

Super HQ

| Super HQ 100 - 24 Super HQ 100 - 36 Super HQ 100 - 3 +1 Pk | AFU11016 | AFU10015 |
|--|----------|----------|
| Super HQ 200 - 24 | AFU11023 | |

24mm APS Nexia **BLISTER BOXED** APS Nexia 200 - 25 AFU12325 AFU00622 APS Nexia 400 - 25 AFU12425 AFU00642

| APS Nexia 800 - 25 | AFU12825 |
|---------------------------|----------|
| APS Nexia 200 - 75 (3-pk) | AFU12275 |
| APS Nexia 400 - 75 (3-pk) | AFU12475 |
| APS Nexia 800 - 75 (3-pk) | AFU12875 |
| | |

PERSONAL SERVICE IS OUR #1 PRIORITY



Product

FujiFilm Professional Film







Minimum







ONLY - NO GRAY - FRESH DATED USA FILM

| Code | Product | Orc | |
|----------------------|---|--------|------|
| | | | |
| | ROME VELVIA 50 | | |
| 02301205 | RVP 135-36 | | |
| 02301210 | RVP 135-36 PROPACK (20) | | |
| 02301207 02301208 | RVP 120 | | |
| 02301200 | RVP 120, 5 Pack | | |
| 02301209 | RVP 4 x 5, (10) Sheets | | |
| 02301252 | RVP 4 x 5, (50) Sheets | | |
| 02301254 | RVP 4 x 5 QUICKLOAD (20) | | |
| 02405054 | QUICKLOAD Film Holder | | |
| FUJICHI | ROME VELVIA 100F | | |
| 02301605 | RVP 135-36 | | |
| 02301610 | RVP 135-36 PROPACK (20) | | |
| 02301607 | RVP 120 | | |
| 02301608 | RVP 120, 5 Pack | | |
| 02301609 | RVP 220, 5 Pack | | |
| 02301650 02301652 | RVP 4 x 5, (10) Sheets | | |
| 02301652 | RVP 4 x 5, (50) Sileets | | |
| | | 1 | 201 |
| _ | VAILABLE IN U.S. | | |
| | INSTANT FP-SERIES FILM | | |
| | 10 Sheet Packs: | | |
| 02602743 | FP-100 Color | | |
| 02602243 | FP-100 B & W | | - |
| 02602643 | FP-3000 B & W | 12 | PKS |
| | Sheet Packs: | | |
| 02602760 | FP-100 Color | | |
| 02602660 | FP-3000 B & W | 12 | PKS |
| FUJICHI | ROME ASTIA 100F | | |
| 02302505 | RAP 135-36 | | |
| 02302507 | RAP 120 | | |
| 02302508 | RAP 120, 5 Pack | | |
| 02302509 | RAP 220, 5 Pack | | |
| 02302510 02302550 | RAP 135-36 PROPACK (20) RAP 4 x 5, (10) Sheets | | |
| 02302550 | RAP 4 x 5, (50) Sheets | | |
| 02302554 | RAP 4 x 5 QL (20) | | |
| 02405054 | QUICKLOAD Film Holder | | |
| FUJICHI | ROME PROVIA 100F | | |
| 02302805 | RDP III 135-36 | | |
| 02302810 | RDP III 135-36 PROPACK (20) | | |
| 02302807 | RDP III 120 | | |
| 02302808 | RDP III 120, 5 Pack | | |
| 02302809 | RDP III 220, 5 PackRDP III 220, PROPACK (20) | | |
| 02302820 02301850 | RDP III 4 x 5 (10) Sheets | ا 1 | Rox |
| 02301852 | RDP III 4 x 5 (50) Sheets | 1 1 | Box |
| 02301854 | RDP III 4 x 5 QL | | |
| 02405054 | QUICKLOAD Film Holder | 1 | Unit |
| 02301860 | RDP III 8 x 10 (10) Sheets | | |
| 02301865 | RDP III 8 x 10 (50) Sheets | 1 | Box |
| | | | |

| NLY | - NO GRAY - FRI |
|--|--|
| Product <u>Code</u> | Product Minimum Order |
| PROFE | ROME PROVIA 400F SSIONAL FILM |
| 02301945 02301947 02301948 02301949 | RHP III 135-36 |
| | ROME 64T TYPE II TUNGSTEN |
| 02301505 02301507 02301550 02301552 02301554 | RTP II 135-36 10 Rolls RTP II 120 10 Rolls RTP II 4 x 5, (10) Sheets 1 Box RTP II 4 x 5, (50) Sheets 1 Box RTP 4 x 5 QL (20) 1 Box |
| | QUICKLOAD Film Holder 1 Unit |
| 02501710 02501720 02501740 02501750 02501760 | SSIONAL DUPLICATING FILM CDU II 35mm x 100' |
| FUJICO | LOR NPS 160 |
| 02300125 02300110 02300108 02300120 02300109 02300150 02300152 02300154 02300160 02200210 | NPS 135-36 10 Rolls NPS 135-36, PROPACK (20) 1 Pk NPS 120, 5 Pack 1 Pk NPS 120, PROPACK (20) 1 Pk NPS 220, 5 Pack 1 Pk NPS 4 x 5, (10)Sheets 1 Box NPS 4 x 5, (50)Sheets 1 Box NPS 4 x 5 QUICKLOAD (20) Sht 1 Box NPS 8 x 10, (10)Sheets 1 Box NPS 35mm x 100' Perf. Core 1 Roll |
| | LOR NPL 160 |
| 02300307 02300308 02300350 02300352 02300354 02300361 | NPL 120 10 Rolls NPL 120, 5 Pack 1 Pk NPL 4 x 5, (10) Sheets 1 Box NPL 4 x 5, (50) Sheets 1 Box NPL 4 x 5 QUICKLOAD (20) Sht 1 Box NPL 8 x 10, (10) Sheet 1 Box |
| | LOR NPH 400 |
| 02300405 02300410 02300408 02300420 02300409 | NPH 135-36 10 Rolls NPS 135, PROPACK (20) 1 Pk NPH 120, 5 Pack 1 Pk NPS 120, PROPACK (20) 1 Pk NPH 220, 5 Pack 1 Pk |
| | ide in Japan- |

| 1 | Product <u>Code</u> | Product | Minimum <u>Order</u> |
|---|------------------------|--|-------------------------|
| | FUJICO | LOR NPC 160 | |
| | PROFE | SSIONAL FILM | |
| ١ | 02300215 | | |
| ١ | 02300218 | | |
| | 02300219 | NPC 220, 5 Pack | 1 PK |
| | FUJICO | DLOR NPZ 800 | |
| | PROFE | SSIONAL FILM | |
| : | 02300735 | NPZ 135-36 5 Pack | 1 Pk |
| | 02300728 | = .= ., | |
| | 02300729 | NPZ 220, 5 Pack | 1 Pk |
| | FUJICO | DLOR | |
| | PROFE | SSIONAL PROPACK SERI | ES |
| | 02300816 | SUPERIA 100 135-36 PROPACK (20) - CN | 1 Pk |
| | 02300820 | SUPERIA 200 135-36 PROPACK (20) - CA | 1 Pk |
| | 02300823 | PRESS 400 135-36 PROPACK (20) - CH | 1 Pk |
| | 02300863 | PRESS 800 135-36 PROPACK (20) - CZ | 1 Pk |
| | 02300883 | SUPER HG 1600 135-36 PROPACK (20) - CU | 1 Pk |
| | FUJICO | LOR EVIDENCE PROPAC | K |
| | 02300830 | SUPERIA X-TRA 400 135-24 | |
| | | PROPACK (20) CH | 1 Pk |
| | _ | N 100 ACROS PROFESSIO | NAL |
| | B&W FI | | 40.01 |
| | 02302105 02302107 | NEOPAN 100 135-36 NEOPAN 100 120 | |
| | 02302107 | NEOPAN 100 120 NEOPAN 100. 4 x 5 | 10 NIS |
| | 02302134 | QUICKLOAD (50) Sheets | 1 Box |
| | NEODA | N 400 PROFESSIONAL | |
| | B&W FI | | |
| | 02302405 | NEOPAN 400 135-36 | 10 Rolls |
| | 02302406 | NEOPAN 400 135-100' | |
| | 02302407 | NEOPAN 400 120 | |
| | 02302410 | NEOPAN 400 135-36 | 10 110110 |
| | | PROPACK (20) | 1 Pk |
| | NEOPA B&W FI | IN 1600 PROFESSIONAL | |

02302605 NEOPAN 1600 135-36 10 Rolls

Call for information and pricing on Special Order Long Rolls

and Sheet Film

PROPACK (20) 1 PK

02302610 NEOPAN 1600 135-36

FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR 1-800-526-6290

USA and Canada

Exposure Meters/Flash Meter

A-5

Capital exposure meters offer the accuracy, range, features and reliability of higher priced meters at a reasonable price.

Perfect for photographers who want the versatility of hand-held meters. Complete with case, neck strap, and battery (where required).

Capital Match Needle Exposure Meter (D-3)

This CDS type meter is designed to make reflected and incident light readings. PX625 battery included. Acceptance angle is 35 degrees. Features a hi-low switch and battery checker. Master: 20.

Shutter Speeds: 4 min. to 1/4000 sec. Aperture: f/1 to f/45 EV-LV: 0 to 20 Cine frames/sec: 8, 18, 24, 32, 64 f.p.s.



ATH313 Match Needle Exposure Meter

D-3

Capital Match Needle Exposure Meter (F-4)

An easy to handle match-needle meter for measuring reflected light. Includes a PX625 battery. Acceptance angle is 35 degrees. Features Dual-range Hi-low switch and battery checker. Master: 50.

Shutter Speeds: 15 sec. to 1/2000 sec. Aperture: f/1 to f/45

EV-LV: 1 to 20

Cine frames/sec: 8, 18, 24, 32, 64 f.p.s.



ATH315 Match Needle Exposure Meter

F-4

Capital Spot Meter (SP-I)

Professional exposure meter which measures a 1 degree angle of illumination within the viewfinder. This is extremely valuable for measuring

distant subjects, for use with the where conventional meters wou inaccurate exposure, such as hi contrast, or back-light.
Uses silicon photo diodes for extreme sensitivity. Includes case, strap and 9-volt battery.

SPECIFICATIONS:

Angle of Incidence: 1 degree

Angle of View: 15 degree Horizontal, 11 degree Vertical

Viewfinder: Diopter adjustment, pentaprism and condense

Measuring System: Needle Indicator EV Range: EV 2-18 (ISO 100)


Accuracy: + .2 EV ISO Range: ISO 6-6400

Aperture Scale: F/1-F/45

Shutter Speed: 30 sec - 1/2000 sec Cine Speed: 8, 16, 32, 64, 128 fps

Weight: approx. 14 oz.





NEEDLE INDICATION

ATH322 Spot Meter

SP-I

\$ samigon* Electronic Flash Meter

Compare these Features with High-Priced Units:

- Precise incident and reflected light metering with flash
- Measuring head rotates 270°
- · Silicon Photo Diode
- \bullet Measuring Range EV 2 to 10, precision EV \pm 0.3, per 1/3 stop
- Over/Under exposure warning
- Aperture range F2 to F32 at ISO100
- Displays 9 red LEDs for full stops, Yellow LED for +1/3 stop and Orange LED for +2/3 stop
- · Built-in flash trigger
- Auto power off after 2 minutes
- Uses 9V battery (not included)
- · Includes case & wrist strap
- \bullet Compact: 6" x 2½" x 1", Lightweight: 3.3oz.

CSA580 Electronic Flash Meter

See Section G for Gray Cards and other exposure aids

PERSONAL SERVICE IS OUR #1 PRIORITY



East: 111 Asia Place, Carlstadt, NJ 07072 West: 4055 W. Shaw Ave.#105, Fresno, CA 93722 (201) 939-7722 (559) 277-3572

Pouches/Anti-Static Cloths/Lens/Conversion Rings

BANDUST®

Micro-Fiber Cleaning Cloths

Ideal for lenses, filters, computers, scientific instruments, jewelry, crystal, etc.

Safely wipes away dirt, oil, fingerprints, and smudges. Remove static electricity and dust without chemicals or radioactivity.

Packed in counter display box of 24.

- Anti-Static
- Certified Clean Room Quality
- 100% Lint-free, Scratch-free
- No Chemicals
- Machine Washable and Reusable

GRG913 Box/24, 9" x 9"

Sima Sports Pouches

Sports Pouch inflates around valuable equipment with soft air cushions. And because it inflates- it floats.

The perfect lightweight, rugged carry-all for outdoor activities- photography, boating, camping, and travel.

Available in yellow.



ASP033 Super Sports Pouch, 17" x 17" ASP084 Regular Sports Pouch, 14" x 12" SPSY SPY-06

\$ samigonLens Pouches

- · Well padded
- · Soft nylon interior
- · Rugged outer material
- · Draw-string closure

ASA241 Small (5") ASA243 Medium (7") ASA245 Large (9")



\$samigon®

Semi-fisheye/Macro Lens

Super wide (0.42X) 2 piece lens attachment. Series 7 thread adaptable to all Video, SLR, and Rangefinder cameras. Has built-in lens shade and case.

For macro use:

Remove rear optics assembly.

For wide angle use:

Attach entire two piece unit to camera lens with Series 7 adapter.



ASA106 Semi-fisheye/macro lens w/o adapter

\$samigon* Spy-Scope, Series VII

The Spy-Scope looks like part of the lens when attached. It allows the photographer to aim the camera in one direction, and take pictures of objects at right angles to the direction that the camera is pointing. Great for candid shots or where one must be discreet. Use with telephoto lenses of 85mm and longer. Accepts conversion rings to fit all lens sizes. (See listing below).

ASA117 Spy-Scope, Series VII

Conversion Rings

Adapts Series VII lenses, filters and accessories to fit mm thread of prime lens. All metal black anodized aluminum. Individually boxed. Master: 10.

Series VII Adapters

ASM740 40.5mm

ASM746 46mm

ASM748 48mm

ASM749 49mm

ASM752 52mm

ASM755 55mm

ASM758 58mm

ASM762 62mm

ASM766 Series 6/Series 7



FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR 1-800-526-6290

\$samigon®

T-2 Preset Lens Mounts

Permits the use of pre-set lenses and accessories on most cameras. All-metal construction with centering adjustment. Individually boxed. Master:10.


ASM905 Canon ASM940 Nikon
ASM907 Canon EOS ASM945 Olympus OM-1
ASM920 Konica ASM950 Pentax Universal
ASM930 Minolta ASM951 Pentax K
ASM932 Minolta Maxxum ASM970 Yashica/Contax



Permits use of designated camera lens on video cameras accepting C-mount lenses.

ASM990 For Nikon
ASM992 For Canon-FD
ASM994 For Pentax-K
ASM995 For Pentax-Universal

ASM997 For Minolta ASM999 For Olympus



\$samigon® Uniswitch Adapters

Allows use of Pentax universal screw mount lenses on a variety of camera bodies. Allows non-automatic operation of lens. Retains focus to infinity. Made of aluminum. Individually boxed. Master:10.

ASM975 Pentax K ASM977 Minolta ASM978 Canon

ASM979 Konica

ASM989 Yashica/Contax

samigon Body Mount Adapters for EOS and Maxxum

Allows the use of Minolta MD lenses on the Minolta Maxxum, and Canon FD lenses on EOS. Precision optics and metal construction. Provides 1.3X magnification, and requires 1-stop increased exposure. Lenses must be used in manual mode. Individually boxed or blistered. Master: 10.

ASM973 Canon FD lens-EOS ASM974 Minolta MD-lens-Maxxum



SamigonStepping Rings

Changes the front lens threads of the camera to either a larger or smaller size.

This allows you to use different size lens accessories on one lens or one set of filters or lens accessories with a variety of lenses.

Master: 10.

Step-Down Rings

FROM: LENS SIZE

TO: ACCESSORY SIZE

| | 37mm | 46mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 43mm | ASM691 | | | | | | | | |
| 46mm | ASM695 | | | | | | | | |
| 49mm | | ASM701 | | | | | | | |
| 52mm | | ASM706 | ASM708 | | | | | | |
| 55mm | | ASM709 | ASM710 | ASM712 | | | | | |
| 58mm | | | ASM714 | ASM716 | ASM718 | | | | |
| 62mm | | | | ASM720 | ASM722 | ASM724 | | | |
| 67mm | | | | | | | ASM726 | | |
| 72mm | | | | | | | | ASM727 | |
| 77mm | | | | | | | ASM729 | ASM730 | ASM728 |

TO: ACCESSORY SIZE

Step-Up Rings FROM: LENS SIZE



| | | 37mm | 46mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm |
|--|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 28mm | ASM871 | | | | | | | | | | |
| | 30mm | ASM873 | | | | | | | | | | |
| | 34mm | ASM881 | | | | | | | | | | |
| | 37mm | | ASM890 | ASM892 | ASM894 | | | | | | | |
| | 43mm | | ASM897 | ASM875 | ASM876 | ASM877 | | | | | | |
| | 46mm | | | ASM800 | ASM801 | ASM802 | ASM803 | | | | | |
| | 49mm | | | | ASM809 | ASM811 | ASM815 | ASM816 | | | | |
| | 52mm | | | | | ASM813 | ASM817 | ASM821 | ASM822 | ASM824 | | |
| | 55mm | | | | | | ASM819 | ASM823 | ASM832 | ASM834 | | |
| | 58mm | | | | | | | ASM825 | ASM826 | ASM836 | ASM831 | |
| | 62mm | | | | | | | | ASM827 | ASM830 | ASM833 | |
| | 67mm | | | | | | | | | ASM828 | ASM835 | ASM845 |
| | 72mm | | | | | | | | | | ASM829 | ASM847 |
| | 77mm | | | | | | | | | | | ASM849 |

Bayonet Style Step-Up Rings FROM: LENS SIZE

TO: ACCESSORY SIZE

| | 52mm | 58mm | 62mm | 67mm |
|------|--------|--------|--------|--------|
| 50mm | ASM812 | ASM854 | ASM856 | |
| 60mm | | | | ASM860 |

PERSONAL SERVICE IS OUR #1 PRIORITY



East: 111 Asia Place, Carlstadt, NJ 07072 West: 4055 W. Shaw Ave.#105, Fresno, CA 93722 (201) 939-7722 (559) 277-3572

Lens Caps & Hoods

\$samigon® **Snap-On Plastic Lens Caps**

Spring type action instantly holds lens cap tightly over lens for protection.

Available in:

- · Samigon blister pack (master:10), or
- Bulk (minimum order in bulk: 100 pieces in multiples of 10 per size; add B to item # when ordering in bulk, i.e. ASM473B = 43mm bulk lens caps)

| ASM471 | 37mm | ASM483 ASM485 ASM487 ASM489 | 52mm | ASM492 |
|--------|------|--------------------------------------|------|--------|
| ASM473 | 43mm | ASM485 | 55mm | ASM494 |
| ASM477 | 46mm | ASM487 | 58mm | ASM496 |
| ASM479 | 48mm | ASM489 | 62mm | |
| ASM481 | 49mm | ASM490 | 67mm | |



SIMO CapKeeper 1

CapKeeper 1 puts an end to losing your lens cap or fumbling for it in your pockets or gadget bag. CapKeeper 1 prevents the loss of lens caps by simply attaching a small cord to the D-ring or camera strap and pressing the small tab coated with a self-adhesive back on to the lens cap. Display of 24.



ASP205 CapKeeper 1, display of 24 CK-1

82mm

SIMO CapKeeper 2

CapKeeper 2, the "Never Lose Your Lens Cap" device, is designed specifically for SLR lenses and movie camera lenses. Attaches to the lens directly and not on the camera body. Each lens assembly can now have its own integrated CapKeeper 2 which means multiple sales for you! Display of 24.



ASP210 CapKeeper 2, display of 24 CK-2

\$samigon Digital Camera Adapter Tubes

For Canon 46.5 - 52mm (Canon G2) For Canon A60/70 (Bayonet - 52mm) For Cacon A80 - 52mm ASM305 ASM306

ASM307

For Canon G3/G5 - (Bayonet - 52mm) ASM308

ASM310 For Fuji 55-52mm (Fuji 4900Z, 6900Z, S602Z)

ASM311

ASM320

For Olympus 45.6 - 52mm (Olympus C-720UZ, C-730UZ, C750UZ)

ASM322 For Olympus 41 - 37mm

For Olympus 41 - 52mm (Olympus C-2020, C-2040, C-3040, C-4000Z, C-4000Z, C-5050Z) ASM324

For Casio 47.5 - 52mm ASM330

ASM340 For Nikon 36.5 - 37mm (Nikon 4300, 885)

For Nikon Wide + Tele set - 52mm (C-5700) ASM343 ASM344 For Nikon 46 - 52mm

ASM350 For Sony 45 - 52mm

(Sony DSC-S70/S75/S85, MVC-CD300)

ASM351 For Sony Wide +Tele set 45.5 - 52mm

\$samigon®

Camera Body Caps

Attach to lens mount on SLR camera body. Protects delicate internal camera parts from dust, dirt, and damage. Samigon blister. Master:10.

ASM531 Canon

ASM532 Canon EOS (metal)

ASM533 Konica

ASM535 Minolta

ASM539 Nikon

ASM541 Olympus

ASM543 Pentax-K

ASM545 Pentax-Universal (s)

ASM547 Yashica/Contax



\$samigon® **Rear Lens Caps**

Attach to rear of lens, bellows, extension tubes, etc. to protect from dust, dirt and damage. Samigon blister. Master: 10.



ASM502 Canon ASM503 Canon EOS ASM510 Nikon ASM504 Konica ASM512 Olympus ASM514 Pentax-K ASM506 Minolta

ASM508 Maxxum(metal) ASM516 Pentax-Universal(s) ASM509 Maxxum ASM518 Yashica/Contax

\$samigon

Collapsible Rubber Lens Hoods

Prevents glare caused by light entering lens from side, therefore producing clearer, more saturated pictures Can be folded back to remain on camera at all times and help protect lens barrel from shock. Double threaded to accept filters. Standard rubber lens hoods are for normal and telephoto lenses. Samigon blister pack. Master:10.





Wide-Angle Rubber Lens Hood

Similar to normal hoods above, but designed to fit wide-angle and wideangle zoom lenses without vignetting. Samigon blister. Master:10.

| ASA949 | 49mm | ASA958 | 58mm | ASA972 72r | nm |
|--------|------|--------|------|------------|----|
| ASA952 | 52mm | ASA962 | 62mm | | |
| ASA955 | 55mm | ASA967 | 67mm | | |

FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR **1-800-526-6290**

MARUMI Optical filters are high grade solid optical glass filters manufactured to the highest standards. Each filter is ground and polished to optical flatness with the same skill and quality control as used in making fine lens elements. Precision mounted in double threaded metal rings to insure plano-parallel alignment. MARUMI filters complement the finest photographic lenses. Booklet illustrating filters and usage is available on request. (item# ASFBK)



All-Purpose Filters for Black & White and Color

Sky-Light (1A): An all-purpose filter. Reduces the blue cast that often occurs in color photography, especially in open shade under a blue sky. Greatly improves color balance in outdoor photos. Warms skin tones. May be used at all times outdoors.

UV: Absorbs ultraviolet rays and reduces haze in scenic photos under clear skies. Especially useful for long-distance shots and at high altitudes. May be used as a clear glass "lens cap" to protect lens.

Polarizing Filter: Eliminates unwanted reflections from non-metallic surfaces. Reduces glare, darkens blue sky, emphasizes clouds, enriches colors, and cuts haze. Indispensable for vivid, color photos. Mounted in thin rotating ring. Standard coating.

Circular Polarizing Filter: Creates the same effects as standard polarizers, but is necessary for newest SLR's equipped with semi-transparent mirrors. Use of Standard polarizers with such cameras will result in incorrect exposure. Circular polarizers allow correct automatic exposure. Standard coating. Mounted in thin rotating ring.

Neutral Density: Reduces amount of light transmitted through film without changing color. Use to control exposure with high-speed films under bright light, and to reduce depth-of-field. On video cameras reduces overexposure on sunny days. Available in 2X and 4X.

MC-Center ND: This unique multi-coated neutral density filter has a density of .05 (1/8 f-stop/filter factor 1.1) at dead center which decreases gradually to zero at the edges. Compensates for the tendency of many wide angle/zoom lenses to under expose at the edges (over expose in the center) due to light fall off at the edges.

Dynamic MC-L370: State-of-the-art Dynamic Multi-Coating™ significantly reduces reflections and flare by increasing light transmission to over 99.6%. Cuts ultraviolet light at 370nm...20nm lower than standard UV/Haze filters, for more accurate color rendition, greater contrast and sharper looking photo and video images.

Contrast Filters for Black & White

Yellow (Y-2): Renders natural looking contrast between white clouds and blue skies and foliage.

Orange (G): Darkens sky and water to add drama to scenes. Absorbs blue and blue-green.

Red (25A): Creates a dramatic black sky effect. Simulates moonlight scenes in midday (under-expose slightly). Can be used with infra-red films for infrared effects.

Green (X-1):Renders good flesh tones. Lightens foliage. Effective for garden photos and portraitures.

Correction Filters for Color

80A: Deep blue cooling filter to use daylight film under ordinary incandescent household bulbs. Converts 3200 K to 5500 K.

80B: Deep blue cooling filter to use daylight film under 3400 K tungsten photoflood bulbs.

81A: Pink warming filter. Corrects the bluish cast when daylight film is used on a cloudy or rainy day, or with electronic flash. Also for use with photofloods (3400 K) and Type B film. (Warms 200° K)

81B: Creates warmer results than 81A. For shooting in shade on a clear day. (Warms 400° K)

82A: Light blue cooling filter. Reduces excessive red during early morning or late afternoon, yielding natural skin tones. Also allows use of Type A tungsten film with ordinary household bulbs (3200 K).

85A: Converts Type A indoor film for use in daylight.

85B: Converts Type B indoor film for use in daylight.

F-DL: To use daylight films under fluorescent lights.

F-TB: To use Type B indoor film under fluorescent lights.

Marumi's "Hancer" filters are indispensable tools for creating the most vivid photographs of green foliage, blue skies, red sunsets or fall colors. "Hancer" filters can be used in combination with a polarizer for even more dynamic results. Each filter enhances one color without changing the tone of the entire photograph.

Redhancer[™]: Enhances and "pops" the reds, oranges, and browns in all photo and video images, indoors or outdoors. Gives a picture postcard look to images taken all year round – fall foliage, party decorations, flowers, etc.

Bluehancer™: Enhances blue colors in photos. Great for blue skies.

 $\textbf{Greenhancer}^{\text{TM}}\textbf{:} \ Enhances \ green \ colors \ in \ photos. \ Great \ for \ green \ foliage.$

Special Effects Filters

Escape from the ordinary into the realm of the extraordinary. Marumi Special Effects Filters enable you the to create the image you see in your mind's eyes. Perfect for both still and Video use.

Bi-Color Filter: Combines blue and red colors on a single lens.

Close-Up Lens Set: Consists of three lenses: +1, +2 and +4 diopters. Threaded with male & female threads to permit building up magnification.

Cross Screens: Clear filters with fine cross grid etched into the surface. Produce dramatic cross star effects with point light sources in night scenes, water photos, reflections and light spots.

Three types available: Crystal Cross: 6-pointed snow crystal star effect

Halo Cross: 8-pointed star effect

XS Cross Screen: 4-pointed star effect

Diffraction Rainbow: Transforms highlights of the subject into rays of light, including colorful bursts around the subject.

Duto Diffuser Filter: Clear optical glass specially processed to render soft focus effects. Ideal for portraits.

Fog Filter Set (Fanta-Image): Reduces the contrast between the shadow & highlights areas and creates a fog-like effect. Consists of 2 filters which can be used singly or as a set for varying degrees of fog effect.

GC (Graduated Color): Half of filter is color graduated.

Planet Filter: Creates a sharp center focus surrounded by an exciting special effect.

Spot Filter: Creates a sharp center focus while giving a soft focus effect to the surrounding areas.

PERSONAL SERVICE IS OUR #1 PRIORITY



East: 111 Asia Place, Carlstadt, NJ 07072 West: 4055 W. Shaw Ave.#105, Fresno, CA 93722

(201) 939-7722 (559) 277-3572

A-10 Marumi Optical Filters

MARUMI Optical Filters

Available in eye-catching Plastic Peg Packs

- · Priced the same as boxed filters.
- Feature full-color "effects" photos and bar coding.
- AVAILABLE SIZES: 46mm to 62mm.
- AVAILABLE COLORS: Sky-1A, UV Haze, Polarizer & Circular Polarizer.

When ordering peg packs, add "P" to end of item code (example: ASF491AP)

Master Pack: 10 pcs. per size/type



| Master Fack. To | - | - | | | 37mm | 40 5m | 13mm | 16mm | 18mm | 10mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm | 86mm | 95mm |
|---|--------|---------|----------|---------------------|-------------|---------|------|---------|-------|--------|------|---------|----------|---------|----------|----------|--------------|----------|------|---------|
| | IIFE | 2011111 | 30111111 | 34111111 | 3/111111 | 40.5111 | | | ATED | | | JJIIIII | 30111111 | 0211111 | 07111111 | 72111111 | 7 7 11 11 11 | 02111111 | OOM | 9311111 |
| 1A | 1AMC | | | | | | IVIC | /E11-00 | AILD | | | Ì | | Ì | | | | | | |
| | 1BMC | | | | | | | | | | | | | | | | | | | |
| Skylight (1B) UV Haze | UVMC | | | | | | | | | | | | | | | | | | | |
| UV Haze | UVIVIC | | | | | | 0-00 | | 201 | | | | | | | | | | | |
| | | | | | | | SIAN | DARD | COATE | D FILI | ERS | | | | | | | | 1 | |
| Skylight (1A) | 1A | | | | | | | | | | | | | | | | | | | |
| UV | UV | | | | | | | | | | | | | | | | | | | |
| 80A | 80A | | | | | | | | | | | | | | | | | | | |
| 80B | 80B | | | | | | | | | | | | | | | | | | | |
| 81A | 81A | | | | | | | | | | | | | | | | | | | |
| 81B | 81B | | | | | | | | | | | | | | | | | | | |
| 82A | 82A | | | | | | | | | | | | | | | | | | | |
| 85A | 85A | | | | | | | | | | | | | | | | | | | |
| 85B | 85B | | | | | | | | | | | | | | | | | | | |
| Yellow (Y-2) | ΥE | | | | | | | | | | | | | | | | | | | |
| Red (25) | RD | | | | | | | | | | | | | | | | | | | |
| Green (X-1) | GR | | | | | | | | | | | | | | | | | | | |
| Orange (YA-2) | OR | | | | | | | | | | | | | | | | | | | |
| ND2 | ND2 | | | | | | | | | | | | | | | | | | | |
| ND4 | ND4 | | | | | | | | | | | | | | | | | | | |
| Polarizing Screen | PL | | | | | | | | | | | | | | | | | | | |
| Circular Polarizer | PLC | | | | | | | | | | | | | | | | | | | |
| Tungsten (FTB) | FLB | | | | | | | | | | | | | | | | | | | |
| Daylight (FDL) | FLD | | | | | | | | | | | | | | | | | | | |
| Close-up Set (3pcs) | CU | | | | | | | | | | | | | | | | | | | |
| Cross Screen (4-Star) | XS | | | | | | | | | | | | | | | | | | | |
| Duto Screen/Diffusion | DU | | | | | | | | | | | | | | | | | | | |
| Soft Spot Filter | SP | | | | | | | | | | | | | | | | | | | |
| Crystal X-Scm (6-Star) | СХ | | | | | | | | | | | | | | | | | | | |
| Halo Screen (8-Star) | HC | | | | | | | | | | | | | | | | | | | |
| Fanta-Imge (2pc.) Fog | FI | | | | | | | | | | | | | | | | | | | |
| | TYPE | 28mm | 30mm | 34mm | 37mm | 40.5m | 43mm | 46mm | 48mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm | 86mm | 95mm |
| Gray blocks indicate that filter is not available. Enter quantity desired in appropriate block(s) For a Marumi Filter Color Brochure (Order #ASFBK) (N/C) Indicate quantity | | | | | | | | ntity | | | | | | | | | | | | |
| Photocopy this page to use as an order form | | | | | | | | | | | | | | | | | | | | |
| Customer Name: | | | | | Customer No | | | | | | | | | | | | | | | |
| PO #: Date: | | | | e: Order Placed By: | | | | | | | | | | | | | | | | |

FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR 1-800-526-6290

MARUMI & SAMIGON Optical Filters



| mar | U | M | I P | RODU | | ODE: / | | (mm) (1 52 F | type) RF | | | 10 | M pcs. p | aster F er size | |
|------------------------|------|------|------|------|-------|--------|--------|-----------------|-------------|------|------|------|-------------|--------------------|------|
| | TYPE | 34mm | 37mm | 43mm | 46mm | 48mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm |
| | | | | | HIGH | -TECH | FILTE | RS | | | | | | | |
| Redhancer | RF | | | | | | | | | | | | | | |
| Bluehancer | BF | | | | | | | | | | | | | | |
| Greenhancer | GF | | | | | | | | | | | | | | |
| Dynamic MC-L370 | DMC | | | | | | | | | | | | | | |
| MC-Center ND | CND | | | | | | | | | | | | | | |
| | | | | SF | ECIAL | EFFE | CTS FI | LTERS | | | | | | | |
| Bi-Color, Red/Blue | ВС | | | | | | | | | | | | | | |
| Diff. Rainbow, Halo | DH | | | | | | | | | | | | | | |
| Diff. Rainbow, Diamond | D36S | | | | | | | | | | | | | | |
| Graduated Color, Blue | GCB | | | | | | | | | | | | | | |
| Graduated Color, Grey | GCG | | | | | | | | | | | | | | |
| Graduated Color, Wine | GCW | | | | | | | | | | | | | | |
| Saturn Planet | SAT | | | | | | | | | | | | | | |
| Sand-Spot | SS | | | | | | | | | | | | | | |
| | TYPE | 34mm | 37mm | 43mm | 46mm | 48mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm |

\$ samigon Optical Filters

Packaged in a unique "Clam-shell" display/storage case

- Quality filters with all-metal rings threaded front and rear.
- Can hang on pegboard displays or store in a box or drawer.
- · UPC bar coded
- Full color photos showing comparison shots with and without the filter.



| \$sam | ig | or | ® P | RODU | | DDE: A | | | | | | | | | |
|--|------|------|------------------------|-------|-------|--------|--------|-------|--------|---------|------|------|------|------|------|
| | TYPE | 34mm | 37mm | 43mm | 46mm | 48mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm |
| | | | | STA | ANDAR | D OPT | ICAL F | ILTER | 3 | | | | | | |
| Sky-1A | 1A | | | | | | | | | | | | | | |
| UV-Haze | UV | | | | | | | | | | | | | | |
| Polarizer | PL | | | | | | | | | | | | | | |
| Circular Polarizer | PLC | | | | | | | | | | | | | | |
| Close-up Sets(+1, +2, +4) | CU | | | | | | | | | | | | | | |
| | TYPE | 34mm | 37mm | 43mm | 46mm | 48mm | 49mm | 52mm | 55mm | 58mm | 62mm | 67mm | 72mm | 77mm | 82mm |
| Gray blocks indicate that filter is not available. Enter quantity desired in appropriate block(s) | | | | | | | | | | | | | | | |
| | | Pho | toco | py th | is pa | ge to | use | as a | ın ord | der fo | orm | | | | |
| Customer Name: | | | | | | | | | Cust | tomer l | No | | | | |
| PO #: | | | Date: Order Placed Bv: | | | | | | | | | | | | |

PERSONAL SERVICE IS OUR #1 PRIORITY




A-12 Camera Accessories/Video & Audio Tapes

\$samigon

Auto Winders for SLR Cameras

Battery powered winder (4-AA batteries not included) advances the film and cocks the shutter as you depress the shutter release. Built-in micromotor allows continuous picture taking or single frame exposures. Remote control (except ASA654-Nikon N-1, and camera models indicated below). Time Lapse photography (except ASA654-Nikon N-1). Red LED lights at film end. Green LED indicates "power on". Use with all shutter speeds plus auto and programmed modes. Includes a vinyl case with velcro closure.



ASA650 Canon C1TR

Fits: A-1, AE-1P (w/remote)

AE-1, AV-1, AT-1, Al-1 (no remote)

ASA652 Minolta M1TR

Fits: XGM, X-300/370/500/570/700 (with remote)

All other XG, X models (no remote)

ASA654 Nikon N-1: Fits: EM, FG, FG-20 (no remote)

ASA655 Nikon N2TR: Fits: FA, FE2, FM2 (with remote)

ASA656 Olympus OM1TR: Fits: All OM models

ASA658 Pentax P1TR

Fits: ME, ME Super, ME-F, MG, Super A, Program A

Remote Control Switch For Autowinders


Three foot remote control plugs into control panel on each winder except



ASA667 Remote Control Switch for Autowinders

\$samigon Memory Holder

Retains instant identification of film in camera. Frame holds film box tab and attaches to back of camera or case. Samigon blister. Master:6.



ASM650 Samigon Memory Holder

#5090

\$samigon® Filter/Diskette Safe

Safely stores 3" filters and 31/2" diskettes, transports film, and stores valuable photographic accessories. Individual sliptrack slots enable easy viewing and access. Arranges your filters for efficient retrieval. Engineered to keep filters, film and accessories damage free in transit. Transports ten 3" filters, or two 4 x 5 sheet film holders, or eighteen 120 roll film, or fifteen 35mm roll film. Made of tough polymer to withstand continuous misuse and abuse.







勁 FUJIFILM

Consumer Video Tapes

VHS (Pack Qty: 10)

AFU21120 HQ T-12 AFU23121 MASTER T-120 AFU21160 HQ T-160 AFU24120 S-VHS ST-120 AFU22120 PRO T-120 AFU24160 S-VHS ST-160 AFU22160 PRO T-160 AFU20000 VCL-10 Headcleaner

VHS-C (Pack Qty: 10)

AFU25030 PRO TC-30 AFU25140 S-VHS-C STC-40 AFU25041 PRO TC-40 AFU25001 VHS-C Headcleaner AFU25130 S-VHS-C STC-30

8MM (Pack Qty: 10)

AFU26120 MP P6-120 AFU28121 HI 8 MP P6-120 (hangtag) AFU27120 PRO P6-120 AFU29120 HI 8 ME Pos. E6-120

AFU28120 HI 8 MP P6-120

DVC (Pack Qty: 5)

AFU30060 DVC 60 AFU30080 DVC 80

⑨ FUJIFILM

Consumer Audio Tapes (Pk Qty: 10)

AFU60061 DR-I 60 AFU60091 DR-I 90

AFU63091 DR-II 90

All video and audio tapes must be purchased in pack quantities

FOR FAST DELIVERY CALL TOLL FREE!

EAST 1-888-ARGRAPH OR **1-800-526-6290**

Sealife 💌 ReefMaster®

Compact, fully automatic 35mm Dive Cameras

- · Uses regular 35mm film. ASA200 recommended.
- · A top mounted sportsfinder makes picture taking easy underwater when wearing a dive mask.
- · Small enough to fit into most BC pockets.
- Inner camera can be removed from housing and used for excellent pictures on land.
- Color corrected flash (ASL515 only)
- · Runs on 2 AA batteries (not included)
- Expandable accesories available (See below)



| 35mm DIVE CAMERAS | | | | | | |
|-------------------|-------------|----------------|--|--|--|--|
| | ASL520 | ASL515 | | | | |
| Shutter Speed | 1/125 | 1/140 | | | | |
| Aperture | F/5.6 | F/3.5 | | | | |
| Depth Rating | 164 feet | 164 feet | | | | |
| Construction | Clear Lexan | Rubber Armored | | | | |

Expandable Accessories

| ASL960 | External Flash | Range: 2 to 8 ft. (0.6 to 2.5m), Flexible arm for easy aiming, Deluxe carrying case |
|--------|--------------------------|---|
| ASL951 | 3X Close-Up Lens | With underwater filter, Quick release safety lanyard, Snaps on and off underwater Range: 2 to 4 ft. (60 to 120cm), Digital Range: 2 to 3 ft. (60 to 90cm) |
| ASL970 | Wide Angle Lens | Focal length: 24mm, Focus Range: 2ft. to ∞ (60cm +) |
| ASL911 | PK/10, Moisture Munchers | (Inside Housings) Absorbs moisture to prevent fogging |
| ASL101 | PK/10, Moisture Munchers | (Inside Cases) Absorbs moisture to prevent foggingpk10 |

ReefMaster® RC 35mm Photo Set - includes:

- ReefMaster®RC camera
- · 3X Close-up Lens
- Carrying case: Unbreakable, airtight, waterproof and it floats.

ReefMaster® RC 35mm PRO Set - includes:

- · ReefMaster®RC camera
- External Flash
- 3X Color Corrected Close-up Lens.
- Carrying case: Soft, padded. Adjustable shoulder strap.

ASL511 ReefMaster® RC Photo Set ReefMaster® RC PRO Set ASL560



Shark Diver 35mm Cameras

- · Fully functional to 80 feet
- · Automatic & Manual flash activation pressure sensor

SD300 Re-loadable SD301 Pre-loaded (27 exp, ISO 400)

ASL300 SD300 ASL301 SD301



ASL301

ASL560

ASL511

PERSONAL SERVICE IS OUR #1 PRIORITY



East: 111 Asia Place, Carlstadt, NJ 07072 West: 4055 W. Shaw Ave.#105, Fresno, CA 93722 (201) 939-7722 (559) 277-3572